



02/02/2026

**TAVOLI DA TAGLIO PER VETRO MONOLITICO
GRANDI LASTRE /**

**CUTTING TABLES FOR MONOLITIC GLASS
JUMBO GLASS**

LISEC GFB 60/30 –Year 2007

Tavolo da taglio vetro monolitico – visto e piaciuto
Cutting Table for Monolithic Glass – as is

MaxDimensions 6000x3300

Thickness 3-19 mm

Speed 120 m/min.

Precision +- 0, 2 mm

Power 13 kW

Automatic Cut Pressure Setting
Low-E

Round Shapes from Catalogue

Dynamic cleaning brush on the bottom

Retractable stops

Industrial vacuum cleaner for film extraction



BOTTERO 340 BCS EVO – year 2011

Tavolo da taglio vetro monolitico – visto e piaciuto
Cutting Table for Monolithic Glass – as is

Jumbo size

Max Glass Size 6100x3300 mm

Thickness 3-25 mm

Speed 140 m/min.

Precision +- 0.15 mm

Power 16 kW



BOTTERO 578 BCS - Year 2003

Tavolo da taglio vetro monolitico – visto e piaciuto
Cutting Table for Monolithic Glass – as is

With suction cups

Shape cutting

Jumbo size

Low-e

Thickness 2-25 mm

Speed 120 m/min.

Accuracy +- 0,15 mm

Power 15 kW



W

GFPM GTS 600 C – year 2006

TR

Linea da taglio vetro monolitico – visto e piaciuto
Cutting table for monolithic glass – as is

Jumbo
Shape cut
Low- E
Working Dimensions 6720x3800 mm
Thickness 2 -19 mm
With belts



TAVOLI DA TAGLIO PER VETRO LAMINATO / CUTTING TABLES FOR LAMINATING GLASS

W

BOTTERO 551 A– year 2001

TR

Tavolo da taglio per il vetro laminato – vista e piaciuta
Cutting table for laminating glass – as is

Max cut: 4600 mm
Low-E
Maximum carriages speed 40 m/min
Max. cutting tolerance +/- 0,5 mm
Overall dimensions 4900 x 6100 mm



AN

BOTTERO 520 LAM - Year 2008

Tavolo da taglio per il vetro laminato – vista e piaciuta
Cutting table for laminating glass – as is


Fixed worktop with flap
Air cushion
Max cutting length 3700 mm
Min. cutting length 250 mm
Thickness 3-10 mm (monolithic)
2+0,38+2 min. (laminated)
8+4,56+8 max (laminated)
Speed 100 m/min.
Basic power installed 15 kW



BOTTERO 535 AVM-37 – Year 2011

Tavolo da taglio per il vetro laminato – vista e piaciuta
Cutting table for laminating glass – as is

Max Cut 3700 mm
Thickness:
Float 3-8 mm
Laminated (2+2) (8+8) mm
Power 23 kW
Low-E



BOTTERO COMBINATED CUTTING LINE

Cutting combined line for Glass – as is
Linea da taglio combinata – vista e piaciuta

BOTTERO 548 LAM 61 – Year 2021

Automatic Cutting Table for Laminated Glass
Jumbo

Thickness 2.2.0,38 PVB mm – 8.8.4,56 PVB mm


Precision +- 0,15 mm

+

BOTTERO 363 EVO 2.0 – Year 2021

Automatic Cutting Table for Monolithic Glass

Max Dimensions 6100 X 3355 mm



OPTIONED

COMBINATED CUTTING LINE

Cutting combined line for Glass – as is
Linea da taglio combinata – vista e piaciuta

BOTTERO 341 BCS-J – year 2008

Max Dimensions 6 0 0 0 x 3 2 1 0 mm


Thickness 2-25 mm

+

545 VMXE-37 – year 2010

Max Dimensions 3 8 0 0 x 3 2 1 0 mm

2 + 0.38 PVB + 2 mm



OPTIONED

COMBINATED CUTTING LINE LISEC – year 2010

Cutting combined line for Glass – as is
Linea da taglio combinata – vista e piaciuta

Max Dimensions 6000x3300 mm

Min. Dimensions 1600x1600 mm

Composition:

LISEC ATH 60/30 – (Automatic Loader)

LISEC ESL-60/30RS – (Float Glass)

LISEC VB-45 – (Laminated Glass)

Thickness 6.4-18.3 mm

LISEC BTH 60-30 – (Unloader)



BOTTERO 103 BBM-J – year 2016

Tavolo di carico – visto e piaciuto

Loading table – as is

With belts

Jumbo size



BOTTERO 100 BLC – Year 2010

Tavolo di carico – visto e piaciuto
Loading table – as is

Jumbo
Tilting



BOTTERO 507/CBM – Year 1997

Double-Sided Loader– as is

6 Positions per Side
Maximum Dimensions 3650 x 2750 mm
Thickness 2-19 mm



TAVOLI DA TAGLIO MANUALI / MANUAL CUTTING TABLES

AN

ELETTROFLEX

Tavolo da taglio vetro manuale – visto e piaciuto
Manual cutting Table for Glass – as is



TR

DF 6

Tavolo da taglio vetro manuale – visto e piaciuto
Manual cutting Table for Glass – as is

With the rollers



TR

MACI –

Tavolo per lavorare il piombo - visto e piaciuto
Table for working the lead – as is

For artistic glass



MOLATRICI RETTILINEE / EDGING MACHINE

W

TR

LATTUADA AL4 E – year 2007

Molatrice rettilinea 4 mole – vista e piaciuta
Straight line edging machine 4 wheels – as is

Flat edge : 12 mm
Thickness: 3- 20 mm
Dim. Min. : 60 x 150 mm
Speed: 1,2 – 6 m/min
Power: 6,5 kw



R

TR

VITRODODI MINI BORDER F.P.

Molatrice rettilinea 4 mole – vista e piaciuta
Straight line edging machine 4 wheels – as is



BOTTERO 108 F – Year 2010

Molatrice rettilinea 8 mole – vista e piaciuta
Straight line edging machine 8 wheels – as is

Min. glass size 40 x 40 mm
Max. workable weight 600 kg, 150 kg/m
Glass thickness 3-30 mm



PU

BOVONE ELB 10/45 – Year 2002

Molatrice rettilinea 10 mole – vista e piaciuta
Straight Line Edging Machine 10 wheels – as is

Variable Angle
Speed [M/Min] 0,35 – 5,4
Arris Width [Mm] 5
Miter Angle 0°÷45°
Thickness [Mm] 3-30
Electrical Power 400v 50hz 31kw 72°



TR

BOVONE ELB 10/45 – Year 2009

Molatrice rettilinea 10 mole – vista e piaciuta
Straight Line Edging Machine 10 wheels – as is

Variable Angle
SPEED [m/min] 0,35 - 5,4
ARRIS WIDTH [mm] 5
MITER ANGLE 0°÷45°
THICKNESS [mm] 3-30
Backrest extension
ELECTRICAL POWER 400V 50Hz 31kW 72A



SV

BOVONE ELB 14 – Year 2008

Molatrice rettilinea 14 mole – vista e piaciuta
Straight Line Edging Machine 14 wheels – as is

Speed [M/Min] 0.35 – 5.4
Thread Height [Mm] 5
Minimum Dimensions [Mm]:
Up To 19mm 35 X 35 – 25 X 50 Over 19mm 50 X 50
Thickness [Mm] 1 – 50
Electric Power 400v 50hz 38kw 91°



TR

NEPTUN ROCK 11 – Year 2012

Molatrice rettilinea 11 mole – vista e piaciuta
Straight line edging machine 11 wheels – as is

Thickness 3-40 mm
Speed 0,5-5 m/min.
Power 25 kW



BAVELLONI PR88 – year 1988

Molatrice rettilinea 8 mole – vista e piaciuta
Straight line edging machine 8 wheels – as is

Min workable 50 mm
Thickness 3-31 mm
Speed 0.5 – 5 mt/min
Power 16.7 Kw



TR

BAVELLONI GEMY V10 – year 2004

Molatrice rettilinea 10 mole – vista e piaciuta
Straight line edging machine 10 wheels – as is

Thickness: 3 – 51 mm
Variable angle: 0 – 45°
Sheet min. height: 70 mm
Working speed: 0,5 – 5 m
Pneumatic supply: 8 bar
Power 27 kW
470000m



W
TR

BAVELLONI CR 1111 – year 1999

Molatrice rettilinea 11 mole – vista e piaciuta
Straight line edging machine 11 wheels – as is

Min. Dim. 50 mm
Thickness 3-31 mm
Speed 0-5 mt./min.
Power 23,8 Kw

OPTIONED



W
TR

BAVELLONI GEMY 11 – year 2002

Molatrice rettilinea 11 mole – vista e piaciuta
Straight line edging machine 11 spindles – as is

Min. workable: 35 x 35 mm
Thickness: from 3 to 40 mm
Power: 22 Kw
Speed: from 0.5 to 5 Mt/min
Worked meters: 230810



N

BOTTERO 220 C – year 1997

Bilaterale – vista e piaciuta
Double edger – as is



INCISIONE / V- GROOVING MACHINERY

W

GIEFFE GLASS 4001 CN – year 1998

TR

Incisione rettilinea automatica – vista e piaciuta
V-grooving machinery automatic – as is

Engraving H : 40 – 1000 mm
Thickness: 3- 20 mm
Dim. Min. : 150 x 150 mm
Speed: 0,005 – 5 m/min
Power: 6,5 kw



BISELLATRICI / BEVELLING MACHINE

W

BAVELLONI MAX 80 CNP –year 2011

TR

Bisellatrice – vista e piaciuta
Bevelling machine – as is
13 Cup Wheels Beveller
Min. Size 40x40 mm
Speed 0,5-4,1 m/min.
Thickness 3-25 mm
Max Bevel Width 60 mm
Power 26 kW
Worked Meters: 214662



TR

BAVELLONI B73 CN – year 1994

Bisellatrice – vista e piaciuta
Bevelling machine – as is

Min. Size plate: 40 x 40 mm
Thicknesses: 3 – 20 mm
Working speed: 0 – 4 m / min.
Angle: 3 – 45 °
Bevel size: 50 mm
Power: 17 kW



MOLATRICI PER ANGOLI/ EDGER FOR CORNER

TR

DF 4

Macchinario per incassi su angoli – vista e piaciuta
Corner recessings machinery – as is



MOLATRICI A NASTRO/ BELT EDGERS

W

TR

DF

Nastro manuale – visto e piaciuto
Manual belt – as is

H 1200 mm



QUARANTA MN 3350 / A – year 2005

Nastro manuale – visto e piaciuto
Single belt – as is

H 3300 mm



W

TR

CARSAR

Nastro manuale – visto e piaciuto
Single belt – as is

H 2400 mm



TR

CARSAR

Nastro manuale – visto e piaciuto
Single belt – as is

H 2400 mm



TR

TREVISO

Nastro manuale – visto e piaciuto
Single belt – as is

H 1600 mm



TR

CARSAR

Nastro manuale – visto e piaciuto
Single belt – as is

H 2400 mm



TR

KRISTALL 2000

Moletta per vetri artistici – vista e piaciuta
Edger for artistic glass – as is



TR

BAVELLONI SB10 – year 1990

Sagomatrice – visto e piaciuto
Shaped machine – as is

Min workable 100 mm
Max workable 2100 mm
Thickness 3-40 mm
Max bevel 40 mm
Power 3.5 kw



TR

GIEFFE PROFIL - Year 1993

Macchina per filo lucido – visto e piaciuto
Polishing machine – as is

Thickness 4-50 mm
Min. Glass Diameter 110 mm
Max. Glass Diameter 2400 mm
Power 5 Kw



W

TR

GIEFFE POLISH – year 1997

Macchina per filo lucido e lucidatura – visto e piaciuto
Polishing machine – as is



TR

Tampone per lucidatura – visto e piaciuto
Polishing pad – as is



*

W

FELTRO DF AERO

TR

Tampone di sughero per lucidatura – visto e piaciuto
Cork pad for polishing – as is



TAMPONE

Tampone per lucidatura – visto e piaciuto
Polishing pad – as is



W

TR

TAMPONE DF

Tampone per lucidatura – visto e piaciuto
Polishing pad – as is



BISELLATRICI SAGOMATO / SHAPED BEVELLERS

BAVELLONI K4 – year 1996

Sagomatrice-bisellatrice – visto e piaciuto
Shaping beveling machine – as is

Min. Dimensions 260 mm
Max Dimensions 2600 mm
Thickness 3 – 20 mm
Bevel Width 0 – 40 mm
Power 4 kW



W

TR

LATTUADA B45 – year 1998

Sagomatrice-bisellatrice – visto e piaciuto
Shaping beveling machine – as is

Maximum dimension of round glass sheets 2.500 mm
Minimum dimension (processing on the table) . 500 mm.
Minimum dimension (processing with plateau) 120 mm.
Maximum bevel width . 40 mm.
Maximum bevel inclination model B/45 45°



W

TR

LATTUADA B 45 – year 1997


Sagomatrice – visto e piaciuto
Shaping machine – as is

Max. dim. Of round glass sheets 2.500 mm
Min. dim. (processing on the table) 500 mm.
Min. dim. (processing with plateau) 120 mm.
Max. bevel width . 40 mm.
Max. bevel inclination model B/45 45°

**GIEFFE BILUX 2 ELECTRONIC – Year 1994**

Sagomatrice bisellatrice – visto e piaciuto
Shaping beveling machine – as is

Glass Thickness: 3 – 25 mm
Minimum glass sizes: 100 x 220 mm
Maximum glass diameter: 2400 mm.
Bevel length: 5-40 mm
Bevel angle: 0-15 °



TR

VITRODODI – year 1996

Sagomatrice – visto e piaciuto
Shaping machine – as is

For polished edge

**FORNI DI TEMPERA/ TEMPERING FURNACES**

W

AL

MAPPI AU 1F 1S 900 1800 0.4 R.S.A. – year 2001

Forno di Tempera – visto e piaciuto
Tempering Furnace – as is

Max. glass dim.: 900X2000 mm
Thickness: 4-19 mm



MAPPI AU 1F 1S 1200 3000 O.4.S.

Forno di Tempera – visto e piaciuto
Tempering Oven – as is

Working dimensions 1200x3000 mm
(Can do 1250 mm)
Thickness 4-19 mm
Overall dimensions 4300x16500 mm



EUROTECH WAY ROBO CLEAN – year 2026

Robot per la pulizia e la lucidatura di rulli in silice fusa
per forni di tempra – visto e piaciuto
Robot for cleaning and polishing fused silica rollers for
glass tempering furnaces – as is

Fully automatic 2-hour cleaning cycle
Use of the same robot on multiple furnaces of different
widths and types
Improved tempered glass quality
No risk of roller wear
No need to use water



FORNI DI LAMINAZIONE/ LAMINATING FURNACES

SAFF STRATIFICA – year 2008

Forno per laminazione e fusione – visto e piaciuto
Laminating and fusion furnace – as is

Working dimensions 800x1800 mm
Internal dimensions 2000x1000x400 mm (h)
External dimensions 2500x2100x1500 mm (h)
Temp. 850°
Power 18 kW



FORNI DI CURVATURA/ BENDING FURNACES

OLIVASTRI FKRepv – year 2006

Forno per curvatura di vetro temperato – visto e piaciuto
Bending furnace for tempered glass – as is
Total length of the oven 17 meters
Useful dimensions of the bending chamber
1200x1200x600
Maximum dimensions of the sheets to be bent
1100x1100x4 mm
Minimum dimensions of the plates to be bent
300x300x4 mm



FORNI DI FUSIONE/ FUSION FURNACES

TORNATI TLE 200 – Year 1996

Forno per fusione– visto e piaciuto
Fusion furnace – as is

Working Dimensions 1000 x 2000 mm

Power 27,4 kW

Operating Temperature 850°

Time to Reach Operating Temperature 45-120 m

Overall Dimensions 2400x1260x520 mm

Weight 500 Kg



TR

VEGA INTERNATIONAL

Forno per fusione– visto e piaciuto
Fusion furnace – as is

Dim.: 1100x900 mm

Temperatura: 900°C



CENTRI DI LAVORO VERTICALI/ VERTICAL CNC

CMV STT 2500 X 3500 – Year 2021

Edging/Arrising Machine

Min. Dimensions 550 x 310 (h) mm

Max Dimensions 3200 x 2500 (h) mm

Thickness 3-19 mm

Power 16 kW

Working direction Left to Right



TRAPANI ORIZZONTALI/ HORIZONTAL DRILLING MACHINES

TR

BAVELLONI VT 1250 – year 2004

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

2 Heads

Laser

Thickness 3-25 mm (Both drills)

Max thickness (1 drill) 50 mm

Min. glass size 100x100 mm

Hole diameter (2 drills) 4-130 mm

Max hole diameter (1 drill) 220 mm

Speed 390-5220 rpm

Power 3,5 kW



W
TR

INTERMAC BUSETTI GIO' 1250 – year 2005

Trapano orizzontale automatico – visto e piaciuto
Automatic Horizontal drilling machine – as is

2 heads
Glass thickness : 3-38 mm
Drilling range along Y-axis 0-1250 mm
Drilling range along X-axis 0-1450 mm



W
TR

POLYMEC – year 2008

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

2 heads



TR

ADA

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

2 heads



W
TR

BARETTA 2T – year 2004

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

2 heads



TR

BARETTA PROFILI

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

1 head



W

TR

MAVER TM 1 T SUPER CONDOR 16B – year 2008

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

1 head



W

TR

BOLLA AUDAX 15 –year 1996

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

1 heads



Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

1 heads



LISEC WHV 250 – year 1993

Lavatrice verticale – vista e piaciuta
Vertical Washing Machine – as is

H 2500 mm
6 brushes



FOREL 2200 A6 – Year 2002

Lavatrice verticale – vista e piaciuta
Vertical Washing Machine – as is

H 2000 mm
6 Brushes



FOREL 2130 - year 1991

Lavatrice verticale – vista e piaciuta
Vertical Washing Machine – as is

H 1300 mm
2 Brushes



TR

ROYAL GLASS – year 2006

Lavatrice orizzontale – vista e piaciuta
Horizontal Washing machine – as is

4 Brushes
Lenght 2000 mm



N

BOVONE 130 - year 1990

Lavatrice orizzontale – vista e piaciuta
Horizontal Washing machine – as is

4 brushes



W

TR

MALNATI T SERIE

Lavatrice orizzontale – vista e piaciuta
Horizontal Washing machine – as is

Maximum glass size: 1100 mm
Minimum washable dimensions (mm) 100 x 100
Washable thicknesses (mm) 3 – 19
Manual thickness adjustment
Work speed (m/min) 1 – 4



MALNATI

Lavatrice orizzontale – vista e piaciuta
Horizontal Washing machine – as is



TR

MALNATI

Lavatrice orizzontale – vista e piaciuta
Horizontal Washing machine – as is

Maximum glass size: 600 mm



LISEC VFL 1F – Year 2009

Sigillatrice automatica – vista e piaciuta
Automatic Sealing Machine – as is

H 2000 mm
Working Direction Right to Left



TR

FOREL PBN 6.32 A4 - Year 2008

Piegaprofilo automatica – vista e piaciuta
Automatic Profile Bender – as is

Acceptable spacer hollow profiles from 6 to 32 mm.
Minimum spacer frame dimensions (rectangular reference) 100 mm x 150 mm
Maximum spacer frame dimensions (rectangular reference) 1600 mm x 2000 mm
Shapes allowed infinite
Edge bending from 0° to 155°



TR

LISEC A1RL – year 2004

Caricasali automatica – visto e piaciuto
Automatic Dessicant loader – as is

Profile width 6 - 24 mm
Profile height 6 - 8,5 m
Minimum size 150 x 150 mm



GRACO

Estrusore bicomponente – visto e piaciuto
Two -component extruder – as is



N

GRACO H02A - year 2024

Estrusore monocomponente – visto e piaciuto
Extruder monocomponent – as is

20 lt



GRACO K03C

Estrusore – visto e piaciuto
Extruder – as is



TR

STEFANI

Butilatrice – vista e piaciuta
Butil – as is

2,5 kg



N

FOREL 1025 - year 1999

Butilatrice – vista e piaciuta
Butil – as is

KG 2,5



W

TR

EMAR M101 - Year 2000

Estrusore hot melt – visto e piaciuto
Hot melt extruder – as is



W

TR

MARVAL L 35/P - Year 1996

Estrusore hot melt – visto e piaciuto
Hot melt extruder – as is

35 Liters
Power : 8,5 kW - 380 V



TR

MARVAL L 35/P

Estrusore hot melt – visto e piaciuto
Hot melt extruder – as is

35 Liters
Power 8,5 kW - 380 V
900 x 550 x 1350 (h)
Weight 260 Kg



T

NUOVA ARZANO

Miscelatore per silicone – visto e piaciuto
Silicone mixer – as is



IDROTECNICA DRO RO 60


Demineralizzatore acqua ad osmosi inversa – visto e
piaciuto
Reverse osmosis water demineralizer – as is



N

NEOSTUCCO – year

Caricasali manuale – vista e piaciuta
Manual saltloader – as is



TR

SILEMECCANICA

Tavolino girevole – visto e piaciuto
Turnable table – as is



N

EMAR M 116 - year 2004

Tavolino girevole – visto e piaciuto
Turnable table – as is



MARVAL

Tavolino girevole – visto e piaciuto
Turnable table – as is



FOREL 200/A – year 2002

Tagliaprofili – vista e piaciuta
Profile bender – as is



INTERGLAS AR-GAS-100

Caricagas automatica – vista e piaciuta
Automatic gas filler – as is

2 ways
Gas pressure: 0,5-2,5 atm



INTERGLAS AR-GAS-100 P

Caricagas automatica – vista e piaciuta
Automatic gas filler – as is

2 ways



EMAR M111 - year 2003

Tagliaprofili – vista e piaciuta
Profile bender – as is

Power : 0,75 kw



N

FOREL

Piegaprofili manuale – vista e piaciuta
Manual profile bending machine – as is

for circles



FOREL

Piegaprofili manuale – vista e piaciuta
Manual profile bending machine – as is

for circles



SABBIATRICI MANUALI VERTICALI/ MANUAL SANDBLASTING MACHINES

PEZZA MISTRAL 120 - Year 2000

CABINA DI SABBIATURA AUTOMATICA/MANUALE A
CONTROLLO NUMERICO – vista e piaciuta
AUTOMATIC/MANUAL SAND-BLASTING CABINET WITH
NUMERICAL CONTROL – as is

Max Dim. 1200 mm
Min. Dim. 200x200 mm
Thickness 1-50 mm
Speed 1 m²=4/5 min.
Air Consumption 800 Lt/min.
Power 2 kW



PEZZA GHIBLI 60 - year 2000

Sabbiatrice manuale – visto e piaciuto
Sandblasting machine manual – as is

Power : 0,8 kw



N

TR

SOLARO – year 2007

Sabbiatrice manuale – visto e piaciuto
Sandblasting machine - manual – as is

H 1300 mm



W

TR

BARETTA – year 1999

Sabbiatrice manuale – visto e piaciuto
Sandblasting machine - manual – as is

H 1400 mm



SABBIATRICI MANUALI ORIZZONTALI / HORIZONTAL SANDBLASTING MACHINES

W

TR

PEZZA SAHARA 1000 SPECIAL – year 1997

Sabbiatrice orizzontale – visto e piaciuto
Sandblasting machine – Horizontal – as is

Max Glass Size 1000 mm
Min. Glass Size 200x200 mm
Speed 0,5 mq/min.
Sand Blasting Guns n. 4
Power 5 kW



TR

OFFICINE BELLUCCI AVS 27 – year 2024

Sabbiatrice portatile – visto e piaciuto
Portable Sandblaster – as is

Voltage 230/240 V 50/60 Hz
Power Nom./Max 1100/1350 W
Air flow 54 l/sec. Mq/Min. 3,24
Water lift 220 mBar
Effective capacity 27 l
Noise level 70 dB



SABBIA PER SABBIATRICE

CORIDONE 120



STOCCAGGIO/ STORAGE

MOVETRO – Year 2013

Classificatore automatico con navetta – visto e piaciuto
Automatic Storage Rack with shuttle – as is

32 Positions

Loader

Mushrooms for 3-position stand parking



RBB – year 1997

Classificatore Semiautomatico – visto e piaciuto
Semiautomatic Storage Rack – as is

Jumbo

16 Positions



Carelli portavetro – visto e piaciuto
Racks for glass – as is



TR

DELLA PICCOLA

Carelli portavetro – visto e piaciuto
Racks for glass – as is



TR

GAR-SAVE

Carello per casse di vetro – visto e piaciuto
Rack for box of glass – as is



PINZE- VENTOSE / CLAMP - VACUUM

OMIS

Gru a bandiera - vista e piaciuta
Jib crane – as is

Capacity' 250 Kg



PANNKOKKE 7000-A – year 1996

Ventosa 4 patte– vista e piaciuta
Vacuum 4 patte – as is

Capacity': 600 kg
suction cup type 388



TR

BESANA 8U – year 1996

Ventosa 8 patte– vista e piaciuta
Vacuum 8 patte – as is

Capacity 1200 Kg



TR

ATA GPR2RR - Year 1993

Ventosa girevole 2 patte– vista e piaciuta
Rotating suction cup unit 2 patte – as is

Load capacity 250 kg



Carrello trasporto lastre di vetro – visto e piaciuto
Glass sheet transport trolley – as is



TR

WEHA MAMMUT – NEW

Ventosa manuale – vista e piaciuta
Manual vacuum – as is

Dim: 500x255x250 mm
Suction plate diameter: 200 mm
Wight: 5,5 kg



TR

ELEPHANT

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity':



TR

BOTTERO F – Year 2010

Pinza portavetro – vista e piaciuta
Clamp – as is

Thickness 32-42 mm
Capacity 1000 Kg



TR

BOTTERO D – Year 2007

Pinza portavetro – vista e piaciuta
Clamp – as is

Thickness 10-22 mm
Capacity 1000 Kg



TR

MAVER – year 2006

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity 1000 Kg



TR

BOTTERO C-750/32 – Year 2002

Pinza portavetro – vista e piaciuta
Clamp – as is

Thickness 4-16 mm
Capacity 800 Kg



TR

BOTTERO F/750 – year 2000

Pinza portavetro – vista e piaciuta
Clamp – as is

Thickness: 15-30 mm
Capacity': 1.000 kg



N

BOTTERO – Year 1999

Pinza portavetro – vista e piaciuta

Clamp – as is

Capacity': 750 kg



TR

BOTTERO C/750 – year 1995

Pinza portavetro – vista e piaciuta

Clamp – as is

Capacity': 800 kg



TR

BOTTERO F/750 EXPORT – year 1980

Pinza portavetro – vista e piaciuta

Clamp – as is

Capacity': 1.000 kg



TR

OTTERO C/750 EXPORT – year 1976

Pinza portavetro – vista e piaciuta

Clamp – as is

Capacity': 1.000 kg



TR

OTTERO C/750 EXPORT – year 1976

Pinza portavetro – vista e piaciuta

Clamp – as is

Capacity': 1.000 kg



W

TR

BESANA – year 1997

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity': 600 kg



W

TR

BOLLA

Ventosa manuale – vista e piaciuta
Manula vacuum – as is



W

TR

VENTOSA


Ventosa manuale – vista e piaciuta
Triple suction cups – as is



VARIE / VARIOUS

CARRELLO PORTA SCARTI DI VETRO

Visto e piaciuto/ as is



FIAC NEW SILVER 7,5 – year 2016

Compressore rotativo a vite Con depuratore del aria
Shamal – visto e piaciuto
Rotary screw compressor With Shamal air purifier – as is



SHAMAL SILENTE ZT751 SD - year 2004

Compressore a pistoni – visto e piaciuto
Piston Compressor – as is

Power 4 kW 5,5 Hp
Pressure 10 Bar
Tank 3 Lt.



TR

ATLAS COPCO GA 7 P - year 1998

Compressore – visto e piaciuto
Compressor – as is

With dryer
Power 7.5 kW
Pressure 10 Bar
Free air delivery: 15.5 l/s



TR

FINI E.C BK19-270-5,5 TP 40050 EU R- Year 2001

Compressore a cinghia – visto e piaciuto
Belt compressor – as is

Tank 270 l
Power 5.5 Hp kW 4
Air intake 460 l/min. Pressure 10 bar



W

PLOTTER SUMMA

TR

Vinyl cutter - visto e piaciuto
Vinyl cutter – as is



W

PLOTTER SUMMA D620

TR

Vinyl cutter - visto e piaciuto
Vinyl cutter – as is

Computer control
Max. cut: 600x50mm
Thickness: 0,002 mm – 0,030 mm



BIDONE ASPIRALIQUIDI



T

RIELLO GP 405 – year 1997

Generatore d'aria calda pensile a gas – visto e piaciuto
Gas-fired hot air generator - as is


Launch distance : 26m
Helical fan : 1,300 rev./min.
Voltage : 230 V, 50 Hz, 240 W



TR

BOHLE

Compasso per tagliare cerchi e ovali
Compass for cutting circles and ovals – as is



W

TR

DF – year 2003

Granigliatrice – vista e piaciuta
Shotblasting machine – as is

3 Drawers



W

TR

APB IP66

Inverter for modulate the tension



W

TR

PROXXON

Seghetto per blindati – visto e piaciuto
Blindovis cutting saw – as is



W

TR

BOLLA – year 1997

Macchina per tacche – visto e piaciuto
Notches machine – as is



MACCHINE PORTATILI / PORTABLE MACHINES

TR

REGGIATRICE

STRAPPING MACHINE



TR

MAKITA

Seghetto portatile – visto e piaciuto
Portable saw – as is



TR

TESTER FOR INSULATING GLASS

MARTINI EC – 59

Pocketsize
EC/TDS/°C/°F meter

GRACE PHONOSORB DELTA T TEST

PESOLA KIT

Max. 30 gr



CAMION IVECO 75 E 15 EUROCARGO – year 2002

PATENTE C
Km 189000
Lunghezza cassone : 4.50 m
FASSI GRU IDRAULICHE F40A.24
Lunghezza del braccio: 9,15 m
Portata max.: 945 kg

**PIAGGIO PORTER – year 2016**

Furgone - visto e piaciuto

1300 cc
Benzina
Km 113500 KM

**ALFA ROMEO STELVIO 2.2 Q4 190 CV – year 2020**

Autovettura – vista e piaciuta

Gasolio

**FIAT UNO 45 S – year 1989**

Autovettura – vista e piaciuta

KM 154891
Benzina



JUNGHEINRICH EFG 320 – year 2005

Muletto per il trasporto delle cose – visto e piaciuto
Forklift – as is



MACCHINARI PER LAVORAZIONE DEL FERRO/ IRON PROCESSING MACHINERY

SERRMAC

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

For iron



VALEX MG 16 - Year 1989

Trapano a colonna – visto e piaciuto
Column drill - as is

Max hole diameter: 16 mm
Drill vices: 2



TR

DITTA CROTTI E FIGLIO

Bascula pesa ferro – visto e piaciuto
Iron weighing scale – as is



ATLAS COPCO B4-32 + DDH 32- RP

Trapano rotante per forature di grande diametro – visto e piaciuto
Heavy duty rotary drill for large diameter drilling – as is

DDH 32- RP : 230 v, 50 hz, 110w, 1,6 A
B4-32: 220-230 V, 50-60 HZ, 5,3 A, 1050 W
Diametro: 32 mm



T

BOSCH

Trapano Manuale – visto e piaciuto
Manual Driller - as is
V 220
A 22
W 420
RPM 720/min.



HILTI DCM 1.5

Carotatrice con punta diamantata – vista e piaciuta
Diamond Core Machine Drill – as is



TR

VERDINI Fast S56H

Martello demolitore – visto e piaciuto
Demolition Hammer – as is



MILWAUKEE 18 POWER PLUS

Trapano avvitatore – visto e piaciuto
Drill driver – as is

