



16/08/2026

**TAVOLI DA TAGLIO PER VETRO MONOLITICO
GRANDI LASTRE /**

**CUTTING TABLES FOR MONOLITIC GLASS
JUMBO GLASS**

LISEC GFB 60/30 –Year 2007

Tavolo da taglio vetro monolitico – visto e piaciuto
Cutting Table for Monolithic Glass – as is

MaxDimensions 6000x3300

Thickness 3-19 mm

Speed 120 m/min

Precision +- 0, 2 mm

Power 13 kW

Automatic Cut Pressure Setting
Low-E

Round Shapes from Catalogue
Dynamic cleaning brush on the bottom
Retractable stops

Industrial vacuum cleaner for film extraction



GFPM GTS 600 C – year 2006

Linea da taglio vetro monolitico – visto e piaciuto
Cutting table for monolithic glass – as is

Jumbo

Shape cut

Low- E

Working Dimensions 6720x3800 mm

Thickness 2 -19 mm

With belts



TAVOLI DA TAGLIO PER VETRO LAMINATO /

CUTTING TABLES FOR LAMINATING GLASS

BOTTERO 501/A – year 2003

Tavolo da taglio per il vetro laminato – vista e piaciuta
Cutting table for laminating glass – as is

Max. cut: 3400 mm

Tickness : 3+3 / 8+8 mm



W

TR

BOTTERO 551 A– year 2001

Tavolo da taglio per il vetro laminato – vista e piaciuta
Cutting table for laminating glass – as is

Max cut: 4600 mm
Low-E
Maximum carriages speed 40 m/min
Max.cutting tolerance +/- 0,5 mm
Overall dimensions 4900 x 6100 mm



LINEE DA TAGLIO COMBINATI / COMBINED CUTTING LINES

CUTTING LINE BOTTERO – year 2010

Linea da taglio per il vetro laminato – vista e piaciuta
Cutting line for laminating glass – as is

BOTTERO 545 VSX46^e

Max Dimensions: 4600 x 3210 mm

Min. Dimensions 150 x 125 mm

Thickness:

- Monolithic 3-8 mm
- Laminated (2 + 2) – (8+8)

+

BOTTERO 101 BLC – J

Caricatrice Jumbo



COMBINED CUTTING LINE LISEC – year 2010

Cutting combined line for Glass – as is
Linea da taglio combinata – vista e piaciuta

Max Dimensions 6000x3300 mm

Min. Dimensions 1600x1600 mm

Composition:

LISEC ATH 60/30 – (Automatic Loader)

LISEC ESL-60/30RS – (Float Glass)

LISEC VB-45 – (Laminated Glass)

Thickness 6.4-18.3 mm

LISEC BTH 60-30 – (Unloader)



TAVOLI DI CARICO / LOADING TABLE

BOTTERO 101 BLC-J – Year 2011

Tavolo di carico – visto e piaciuto
Loading table – as is

Jumbo
Dim.: 6000 x 3210 mm
Tilting



TAVOLI DA TAGLIO MANUALI / MANUAL CUTTING TABLES

AN

ELETTROFLEX

Tavolo da taglio vetro manuale – visto e piaciuto
Manual cutting Table for Glass – as is



TR

DF 6

Tavolo da taglio vetro manuale – visto e piaciuto
Manual cutting Table for Glass – as is

With the rollers



TAVOLI PER LAVORI ARTISTICI/ TABLES FOR ARTISTIC WORKS

TR

MACI –

Tavolo per lavorare il piombo - visto e piaciuto
Table for working the lead – as is

For artistic glass



MOLATRICI RETTILINEE / EDGING MACHINES

W

LATTUADA AL4 E – year 2007

Molatrice rettilinea 4 mole – vista e piaciuta
Straight line edging machine 4 wheels – as is

Flat edge : 12 mm
Thickness: 3- 20 mm
Dim. Min. : 60 x 150 mm
Speed: 1,2 – 6 m/min
Power: 6,5 kw



TR

R
TR

VITRODODI MINI BORDER F.P.

Molatrice rettilinea 4 mole – vista e piaciuta
Straight line edging machine 4 wheels – as is

Minimum Glass Size 150×150 mm
Glass Thickness 3-12 mm
Power 5 kW
Working Speed 0,65/3 mt/min



SCHIATTI FPS SME 8 – Year 2017

Molatrice rettilinea 8 mole – vista e piaciuta
Straight Line Edging Machine 8 wheels – as is

Min workable: 80 x 80 mm
Thickness: 3-30 mm
Speed 0.5 – 5,5 mt/min
Power : 14 Kw
Variable Angle: 0-45°



TR

BOVONE ELB 10/45 – Year 2009

Molatrice rettilinea 10 mole – vista e piaciuta
Straight Line Edging Machine 10 wheels – as is

Variable Angle
Speed [M/Min] 0,35 - 5,4
Arris Width [Mm] 5
Miter Angle 0°÷45°
Thickness [Mm] 3-30
Backrest Extension
Electrical Power 400v 50hz 31kw 72a



TR

NEPTUN ROCK 11 – Year 2012

Molatrice rettilinea 11 mole – vista e piaciuta
Straight line edging machine 11 wheels – as is

Thickness 3-40 mm
Speed 0,5-5 m/min.
Power 25 kW



BAVELLONI GEMY 11 – year 2005

Molatrice rettilinea 11 mole – vista e piaciuta
Straight line edging machine 11 spindles – as is

Min. workable: 35 x 35 mm
Thickness: from 3 to 40 mm
Power: 22 Kw
Speed: from 0.5 to 5 Mt/min
Worked meters: 460000



W
TR

BAVELLONI CR 1111 – year 1999

Molatrice rettilinea 11 mole – vista e piaciuta
Straight line edging machine 11 wheels – as is

Min. Dim. 50 mm
Thickness 3-31 mm
Speed 0-5 mt./min.
Power 23,8 Kw

OPTIONED



BATTELLINO FP5 – Year 2011

Molatrice rettilinea 5 mole – vista e piaciuta
Straight line edging machine 5 spindles – as is

Min. thickness of the glass 3
Max. thickness of the glass 20
Min. dimensions of the glass 80X80
Max. weight of the glass 100kg
Speed 0-4 m/min



BOTTERO TITAN – Year 2008

Linea di bilaterali – vista e piaciuta
Double edger line – as is

Dim.: 2000x3000 mm
BOTTERO 228N-3M-BELT
BOTTERO 224N-2M-BELT
Minimum glass size 230 x 230 mm
Thicknesses 3 ÷ 30 mm
Speed 1 ÷ 20 m/min (1 ÷ 30 m/min optional)
Min. size Power 88.6 kW
2 TRANSFERS



INCISIONE / V- GROOVING MACHINERY

W

GIEFFE GLASS 4001 CN – year 1998

TR

Incisione rettilinea automatica – vista e piaciuta
V-grooving machinery automatic – as is

Engraving H : 40 – 1000 mm
Thickness: 3- 20 mm
Dim. Min. : 150 x 150 mm
Speed: 0,005 – 5 m/min
Power: 6,5 kw



BISELLATRICI/ BEVELLING MACHINE

BAVELLONI B73 CNS – Year 1993

Bisellatrice – vista e piaciuta
Bevelling Machine – as is

Min. Size plate: 40 x 40 mm
Bevel Width 35 mm
Thicknesses: 3 - 20 mm
Working speed: 0 - 4 m / min.
Angle: 3 - 45 °
Bevel size: 50 mm
Power: 17,1 kW



MOLATRICI PER ANGOLI/ EDGER FOR CORNER

TR

DF 4

Macchinario per incassi su angoli – vista e piaciuta
Corner recessings machinery – as is



MOLATRICI A NASTRO/ BELT EDGERS

QUARANTA – year 2004

Doppio Nastro manuale – visto e piaciuto
Double Manual belt – as is

Double belt



W

TR

DF

Nastro manuale – visto e piaciuto
Manual belt – as is

H 1200 mm



NASTRO BARETTA

Nastro manuale – visto e piaciuto
Single belt – as is

QUARANTA MN 3350 / A – year 2005

Nastro manuale – visto e piaciuto
Single belt – as is

H 3300 mm



W

TR

CARSAR

Nastro manuale – visto e piaciuto
Single belt – as is

H 2400 mm



TR

CARSAR

Nastro manuale – visto e piaciuto
Single belt – as is

H 2400 mm



TR

TREVISO

Nastro manuale – visto e piaciuto
Single belt – as is

H 1600 mm



TR

CARSAR

Nastro manuale – visto e piaciuto
Single belt – as is

H 2400 mm



TR

KRISTALL 2000

Moletta per vetri artistici – vista e piaciuta
Edger for artistic glass – as is



BAVELLONI P3 – year 2001

Sagomatrice – visto e piaciuto
Shaped machine – as is


Max. dim.: 2.100 mm
Min. dim.: 150 x 150 mm
Glass thickness: 3 mm - 40 mm
Spindle motor power: 3 kW



W
TR

GIEFFE POLISH – year 1997

Macchina per filo lucido e lucidatura – visto e piaciuto
Polishing machine – as is



TR

Tampone per lucidatura – visto e piaciuto
Polishing pad – as is



*
W
TR

FELTRO DF AERO

Tampone di sughero per lucidatura – visto e piaciuto
Cork pad for polishing – as is



TAMPONE

Tampone per lucidatura – visto e piaciuto
Polishing pad – as is



W

TAMPONE DF

Tampone per lucidatura – visto e piaciuto
Polishing pad – as is

TR



BISELLATRICI SAGOMATO / SHAPED BEVELLERS

BAVELLONI K4 – year 1996

Sagomatrice-bisellatrice – visto e piaciuto
Shaping beveling machine – as is

Min. Dimensions 260 mm
Max Dimensions 2600 mm
Thickness 3 – 20 mm
Bevel Width 0 – 40 mm
Power 4 kW



TR

BAVELLONI SB10 – year 1990

Sagomatrice-bisellatrice – visto e piaciuto
Shaping beveling machine – as is

Min workable 100 mm
Max workable 2100 mm
Thickness 3-40 mm
Max bevel 40 mm
Power 3.5 kw



W

TR

LATTUADA B45 – year 1998

Sagomatrice-bisellatrice – visto e piaciuto
Shaping beveling machine – as is

Maximum dimension of round glass sheets 2.500 mm
Minimum dimension (processing on the table) . 500 mm.

Minimum dimension (processing with
plateau) 120 mm.

Maximum bevel width . 40 mm.

Maximum bevel inclination model B/45 45°



W

TR

LATTUADA B 45 – year 1997

Sagomatrice-bisellatrice – visto e piaciuto
Shaping beveling machine – as is

Max. dim. Of round glass sheets 2.500 mm

Min. dim. (processing on the table) 500 mm.

Min. dim. (processing with plateau) 120 mm.

Max. bevel width . 40 mm.

Max. bevel inclination model B/45 45°



TR

VITRODODI – year 1996

Sagomatrice-bisellatrice – visto e piaciuto
Shaping beveling machine – as is

For polished edge



SFILETTATRICI / ARRISING MACHINE

LISEC KSR – 25 – year 2024

Sfilettatrice – vista e piaciuta
Arrising Machine – as is

Working Direction Left TO Right

H: 2500 mm

Max. dimensions: 2500 x mm

Min. Dimensions: 350x280 mm

Thickness: 3 - 19 mm

Max Speed: 30 m/min.




CENTRI DI LAVORO ORIZZONTALI/ HORIZONTAL CNC

TR

DENVER QUOKsrTA – year 2006

Centro di lavoro CNC- visto e piaciuto
Cnc work centre - as is

3 axis
Max glass dim.: 3200 x 1550 mm



FORNI DI TEMPERA/ TEMPERING FURNACES

GLASTON TAMGLASS RC200 (Type 2136) – Year 2014

Forno di Tempera – visto e piaciuto
Tempering Furnace – as is
Max. glass dim.: 2100 x 3600 mm
Min. Glass Size 100 x 480 mm
Installed Power
- Blowers 250 kW
- Heating and Drives 421 kW
- Average Process Power 263 kW
Overall Dimensions 18.000 x 6.000 x 3.100 mm



W

MAPPI AU 1F 1S 900 1800 0.4 R.S.A. – year 2001

AL

Forno di Tempera – visto e piaciuto
Tempering Furnace – as is

Max. glass dim.: 900X2000 mm
Thickness: 4-19 mm



FORNI DI LAMINAZIONE/ LAMINATING FURNACES

TR

SAFF STRATIFICA – year 2008

Forno per laminazione e fusione – visto e piaciuto
Laminating and fusion furnace – as is

Working dimensions 800x1800 mm
Internal dimensions 2000x1000x400 mm (h)
External dimensions 2500x2100x1500 mm (h)
Temp. 850°
Power 18 kW



TEMA LPB 7320 – year 2003

Forno di Laminazione – visto e piaciuto
Laminating Furnace – as is

Dim.: 3000 x 1700 mm
Power: 21 kw



SOLARO MOD. 160 – Year 2016

Forno di Laminazione – visto e piaciuto
Laminating Furnace – as is

Dim.: 1400 x 3200 mm



FORNI DI FUSIONE/ FUSION FURNACES

TORNATI TLE 200 – Year 1996

Forno per fusione– visto e piaciuto
Fusion furnace – as is

Working Dimensions 1000 x 2000 mm
Power 27,4 kW

Operating Temperature 850°
Time to Reach Operating Temperature 45-120 m
Overall Dimensions 2400x1260x520 mm
Weight 500 Kg



TR

VEGA INTERNATIONAL

Forno per fusione– visto e piaciuto
Fusion furnace – as is

Dim.: 1100x900 mm
Temperatura: 900°C



LISEC PVB LAMINATION LINE

Linea per laminazione del vetro– visto e piaciuto
Laminating glass line – as is

Composed of:
TERRUZZI Autoclave – Year 2007
Washing Machine LISEC HVM26B6 – Year 2015
White Room
Mangle
Dimensions 6000x3000 mm



TRAPANI ORIZZONTALI/ HORIZONTAL DRILLING MACHINES

TR

BAVELLONI VT 1250 – year 2004

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

2 Heads
Laser
Thickness 3-25 mm (Both drills)
Max thickness (1 drill) 50 mm
Min. glass size 100x100 mm
Hole diameter (2 drills) 4-130 mm
Max hole diameter (1 drill) 220 mm
Speed 390-5220 rpm
Power 3,5 kW



W

TR

INTERMAC BUSETTI GIO' 1250 – year 2005

Trapano orizzontale automatico – visto e piaciuto
Automatic Horizontal drilling machine – as is

2 heads
Glass thickness : 3-38 mm
Drilling range along Y-axis 0-1250 mm
Drilling range along X-axis 0-1450 mm



W

TR

POLYMEC – year 2008

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

2 heads



TR

ADA

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

2 heads



TR

BARETTA PROFILI

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

1 head



NUOVA ARZANO EB 16 – year

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

1 head



W

TR

MAVER TM 1 T SUPER CONDOR 16B – year 2008

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

1 head



BOLLA AUDAX 15 –year 1996

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

1 heads



MACI

-

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

1 heads



LAVATRICI VERTICALI/ VERTICAL WASHING MACHINES

FOREL VW 2500 SX – year 2009

Lavatrice verticale – vista e piaciuta
Vertical Washing Machine – as is

Max Height 2500 mm
Min. Dimensions 310x160 mm
6 Brushes Low-E
Thickness 3-40 mm
Compressed Air 50 NI/Min. 6 bar
Power 32 kW
Working Direction Right to Left



FOREL V 2130 D – year 2000

Lavatrice verticale – vista e piaciuta
Vertical Washing Machine – as is

H1300 mm
4 Brushes
Low-E



MARVAL ST – Year 2020

Lavatrice verticale – vista e piaciuta
Vertical Washing Machine – as is

H1600 mm
4 Brushes
Low-E
Open Top



SCV SYSTEM WM 1700/4 – Year 2011

Lavatrice verticale – vista e piaciuta
Vertical Washing Machine – as is

H 1700 mm
4 Brushes

OPTIONED



SILEMECCANICA LV 1600/6AP – year 2006

Lavatrice verticale – vista e piaciuta
Vertical Washing Machine – as is

H 1600 mm
6 Brushes



LAVATRICI ORIZZONTALI HORIZONTAL WASHING MACHINES

TR

ROYAL GLASS – year 2006

Lavatrice orizzontale – vista e piaciuta
Horizontal Washing machine – as is

4 Brushes
Lenght 2000 mm



N

BOVONE 130 - year 1990

Lavatrice orizzontale – vista e piaciuta
Horizontal Washing machine – as is

4 brushes



W

TR

MALNATI T SERIE

Lavatrice orizzontale – vista e piaciuta
Horizontal Washing machine – as is

Maximum glass size: 1100 mm
Minimum washable dimensions (mm) 100 x 100
Washable thicknesses (mm) 3 – 19
Manual thickness adjustment
Work speed (m/min) 1 – 4



MALNATI

Lavatrice orizzontale – vista e piaciuta
Horizontal Washing machine – as is



LINEE VETROCAMERA / INSULATING GLASS LINES

LINEA LISEC – year 2019

Linea di vetrocamera – vista e piaciuta
Insulating Glass Line – as is

H 2500 mm SX/DX
Max. glass size: h2500 x 3500 mm
Min. glass size: 350 x 180 mm
Glass unit thickness: 12-80 mm
Shapes: according to Lisecc catalogue
Thickness of flexible spacer: 8-25 mm



LINEA FOREL – year 2009

Linea di vetrocamera – vista e piaciuta
Insulating Glass Line – as is

Composition:

- Washing Machine (6 brushes) FOREL VW2500 (2009)
 - Scanner LISEC (2014)
 - Gas Press FOREL APG 250 (2009)
- Working Direction Right to Left



ACCESSORI PER LINEE VETROCAMERA / ACCESSORIES FOR INSULATING GLASS LINES

LISEC VFL 1F – Year 2009

Sigillatrice automatica – vista e piaciuta
Automatic Sealing Machine – as is


H 2000 mm
Working Direction Right to Left



FOREL APG 250 A2 – year 2009

Pressa a gas – vista e piaciuta
Gas Press – as is

Max Dimensions 2500x4500 mm
Min. Dimensions 190x320 mm
Maximum opening 69 mm
Gas Flow Rate 1.500 NI/min.
Compressed Air 800 NI/Min. 6 bar
Power 6 kW



LISEC GSL- 25 B – year 2014

Scanner for Single Sheets and Insulating Glass – as is
Scanner per lastre singole e vetro isolante – visto e piaciuto

Glass height 2000 mm
Maximum length 6.000 mm
Glass thickness 2 - 100 mm
Transport speed 48 m/min at 200 dpi (no interpolation)
Scan technology 16 bit Scanmodule (LIS – Linear Image Sensor)
Light transmission 15 – 99 %



LISEC A1RL – year 2007

Caricasali automatica – visto e piaciuto
Automatic Dessicant loader – as is



TR

LISEC A1RL – year 2004

Caricasali automatica – visto e piaciuto
Automatic Dessicant loader – as is

Profile width 6 - 24 mm
Profile height 6 - 8,5 m
Minimum size 150 x 150 mm



NDS

Caricasali Manuale – visto e piaciuto
Manual Dessicant loader – as is



GRACO D200 – year 2016

Estrusore – visto e piaciuto
Extruder – as is

For large drums up to 200 liters



GRACO

Estrusore bicomponente – visto e piaciuto
Two -component extruder – as is



GRACO K03C

Estrusore – visto e piaciuto
Extruder – as is



LISEC LBH 25 V – year 2008

Butilatrice – vista e piaciuta
Butil – as is



MARVAL L 75 B – year 2010

Butilatrice – vista e piaciuta
Butil – as is

Up To 7 Kg.
It seals profiles from 6 to 30 mm
Silicon belt conveyor Variable speed with inverter from 5
to 45 m/min.



N

FOREL 1025 - year 1999

Butilatrice – vista e piaciuta
Butil – as is

KG 2,5



POLYGLASS BUT 1K – Year 2010

Butilatrice – vista e piaciuta
Butil – as is

1 Kg



BATTELLINO BK 100 LX – Year 2011

Butilatrice – vista e piaciuta
Butil – as is

Pneumatic pressure 7atm
Compressed air required max 10 lt
Dimensions 2100 x 490 x 1000mm
Speed 0 -18 Mt/min
Nozzle opening 6 - 32 mm
Used butyl 1 kg



MARVAL L 35/P - Year 1996

Estrusore hot melt – visto e piaciuto
Hot melt extruder – as is

35 Liters
Power : 8,5 kW - 380 V



W
TR

■

■

TR

MARVAL L 35/P

Estrusore hot melt – visto e piaciuto
Hot melt extruder – as is

35 Liters
Power 8,5 kW - 380 V
900 x 550 x 1350 (h)
Weight 260 Kg



T

NUOVA ARZANO

Miscelatore per silicone – visto e piaciuto
Silicone mixer – as is



IDROTECNICA DRO RO 60 – year 2008

Demineralizzatore acqua ad osmosi inversa – visto e
piaciuto
Reverse osmosis water demineralizer – as is



TR

SILEMECCANICA

Tavolino girevole – visto e piaciuto
Turnable table – as is



MARVAL

Tavolino girevole – visto e piaciuto
Turnable table – as is



TECNOGLASS TDK 3000 PLUS – year 2014

Tagliaprofili – vista e piaciuta
Cutting Frame Machine – as is

Power supply 380 V Triphase 50 Hz
Pneumatic pressure 6 bar
Aluminium cutting disk diameter 250 mm
Steel cutting disk diameter 250 mm
Cutting range min 70 – max 3100 mm
Cutting precision 0,1 mm
Positioning speed 1,5 m/sec



FOREL 200/A – year 2002

Tagliaprofili – vista e piaciuta
Cutting Frame Machine – as is



BATTELLINO MODEL S – Year 2011

Tagliaprofili – vista e piaciuta
Cutting Frame Machine – as is

Arms dimension 3000mm
Blade dimension Ø 216 Z200
Pneumatic pressure regulator
Measurement accuracy +/- 0,01 mm
Compressed air required
Installed power 1 kW
Power supply 380V 50Hz



MARVAL – year 2013

Freezer – visto e piaciuto

Gas R 404
Power 2 kW



N

FOREL

Piegaprofili manuale – vista e piaciuta
Manual profile bending machine – as is

for circles



FOREL

Piegaprofili manuale – vista e piaciuta
Manual profile bending machine – as is

for circles



SABBIATRICI MANUALI VERTICALI/ MANUAL SANDBLASTING MACHINES

PEZZA MISTRAL 120 - Year 2000

CABINA DI SABBIATURA AUTOMATICA/MANUALE A
CONTROLLO NUMERICO – vista e piaciuta
AUTOMATIC/MANUAL SAND-BLASTING CABINET WITH
NUMERICAL CONTROL – as is

Max Dim. 1200 mm
Min. Dim. 200x200 mm
Thickness 1-50 mm
Speed 1 m²=4/5 min.
Air Consumption 800 Lt/min.
Power 2 kW



CRS 200 A 32S – Year 2022

Sabbiatrice automatica – visto e piaciuto
Automatic sandblasting machine– as is

32 Zone



CRS 180 A 32 – Year 2018

Sabbiatrice automatica – visto e piaciuto
Automatic sandblasting machine– as is

H 1800 mm
32 zone
2 pistole automatiche
Open Top

OPTIONED



PEZZA GHIBLI 60 - year 2000

Sabbiatrice manuale – visto e piaciuto
Sandblasting machine manual – as is

Power : 0,8 kw



SOLARO – year 2007

Sabbiatrice manuale – visto e piaciuto
Sandblasting machine - manual – as is

H 1300 mm



W

TR

BARETTA – year 1999

Sabbiatrice manuale – visto e piaciuto
Sandblasting machine - manual – as is

H 1400 mm



SABBIATRICI MANUALI ORIZZONTALI / HORIZONTAL SANDBLASTING MACHINES

W

TR

PEZZA SAHARA 1000 SPECIAL – year 1997

Sabbiatrice orizzontale – visto e piaciuto
Sandblasting machine – Horizontal – as is

Max Glass Size 1000 mm
Min. Glass Size 200x200 mm
Speed 0,5 mq/min.
Sand Blasting Guns n. 4
Power 5 kW



TR

OFFICINE BELLUCCI AVS 27 – year 2024

Sabbiatrice portatile – visto e piaciuto
Portable Sandblaster – as is

Voltage 230/240 V 50/60 Hz
Power Nom./Max 1100/1350 W
Air flow 54 l/sec. Mq/Min. 3,24
Water lift 220 mBar
Effective capacity 27 l
Noise level 70 dB



W

TR

SABBIA PER SABBIATRICE

CORIDONE 120



RBB – year 2017

g semiautomatico– visto e piaciuto
Semiautomatic Storage Rack – as is

- Jumbo
- 17 Positions
- 1 fixed trolley, 400 mm platform
- 16 mobile trolleys, 250 mm platform
- Cylinder stroke: 900 mm
- 380 V 50 Hz
- Overall dimensions 7300 x 6400 mm



RBB – year 2001

Classificatore semiautomatico– visto e piaciuto
Semiautomatic Storage Rack – as is

- Half size
- 47 pos. Mobile
- 1 pos. Fixed



CLASSIFICATORE MANUALE

Classificatore Manuale – visto e piaciuto
Manual Storage Rack – as is

- 10 pos.



TR

Carelli portavetro – visto e piaciuto
Racks for glass – as is



GAR-SAVE

Carello per casse di vetro – visto e piaciuto
 Rack for box of glass – as is



PINZE- VENTOSE / CLAMP - VACUUM
--

ELEPHANT

Gru a bandiera - vista e piaciuta
 Jib crane – as is

Capacity' 250 Kg

**OMIS OPE 308 4T 7N - Year 2009**

Carroponte
 Electric Overhead Crane

Double-girder structure with profiled beam
 Capacity 3,2 t
 Gauge 11,56 m
 Hook stroke 6 m

**SINGLE LIFT VA-500 – year 2026**

Ventosa 6 patte– vista e piaciuta
 Vacuum 6 patte – as is

Box Dimension 1535x625x475 mm 35kg $\pm$ 2
 Number Of Pads 2+4
 Machine Weight 80kg $\pm$ 2
 Electric System 12 V 14Ah
 Pad Diameter 290 mm
 Max. Workload 500kg
 Manual Tilting Angle 0°/90°
 Manual Turning Angle 360°



PANNKOKKE 7000-A – year 1996

Ventosa 4 patte– vista e piaciuta
Vacuum 4 patte – as is

Capacity': 600 kg
suction cup type 388



TR

BESANA 8U – year 1996

Ventosa 8 patte– vista e piaciuta
Vacuum 8 patte – as is

Capacity 1200 Kg



TR

ATA GPR2RR - Year 1993

Ventosa girevole 2 patte– vista e piaciuta
Rotating suction cup unit 2 patte – as is

Load capacity 250 kg



Carrello trasporto lastre di vetro – visto e piaciuto
Glass sheet transport trolley – as is



TR

WEHA MAMMUT – NEW

Ventosa manuale – vista e piaciuta
Manual vacuum – as is

Dim: 500x255x250 mm
Suction plate diameter: 200 mm
Wight: 5,5 kg



PINZA

Pinza portavetro – vista e piaciuta
Clamp – as is

OPTIONED



TR

BOTTERO F – Year 2010

Pinza portavetro – vista e piaciuta
Clamp – as is

Thickness 32-42 mm
Capacity 1000 Kg



TR

BOTTERO D – Year 2007

Pinza portavetro – vista e piaciuta
Clamp – as is

Thickness 10-22 mm
Capacity 1000 Kg



TR

MAVER – year 2006

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity 1000 Kg



TR

BOTTERO C-750/32 – Year 2002

Pinza portavetro – vista e piaciuta
Clamp – as is

Thickness 4-16 mm
Capacity 800 Kg



TR

BOTTERO F/750 – year 2000

Pinza portavetro – vista e piaciuta
Clamp – as is

Thickness: 15-30 mm
Capacity': 1.000 kg



N

BOTTERO – Year 1999

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity': 750 kg



TR

BOTTERO C/750 – year 1995

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity': 800 kg



TR

BOTTERO F/750 EXPORT – year 1980

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity': 1.000 kg



TR

BOTTERO C/750 EXPORT – year 1976

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity': 1.000 kg



TR

BOTTERO C/750 EXPORT – year 1976

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity': 1.000 kg



W

TR

BESANA – year 1997

Pinza portavetro – vista e piaciuta
Clamp – as is

Capacity': 600 kg



W

TR

BOLLA

Ventosa manuale – vista e piaciuta
Manula vacuum – as is



W

TR

VENTOSA

Ventosa manuale – vista e piaciuta
Triple suction cups – as is



CARRELLO PORTA SCARTI DI VETRO

Visto e piaciuto/ as is



SHAMAL SILENTE ZT751 SD - year 2004

Compressore a piston – visto e piaciuto
Piston Compressor – as is

Power 4 kW 5,5 Hp
Pressure 10 Bar
Tank 3 Lt.



ATLAS COPCO GA 7 P - year 1998

Compressore – visto e piaciuto
Compressor – as is

With dryer
Power 7.5 kW
Pressure 10 Bar
Free air delivery: 15.5 l/s



FIAC - Year 2020

Compressore – visto e piaciuto
Compressor – as is

500 l
Max Press 20 bar
Air consumption 830 l/min.
Power 5,5/7,5 kW/Hp
Weight 255 Kg



TR FINI E.C BK19-270-5,5 TP 40050 EU R- Year 2001

Compressore a cinghia – visto e piaciuto
Belt compressor – as is

Tank 270 l
Power 5.5 Hp kW 4
Air intake 460 l/min. Pressure 10 bar



W PLOTTER SUMMA

TR Vinyl cutter - visto e piaciuto
Vinyl cutter – as is



W PLOTTER SUMMA D620

TR Vinyl cutter - visto e piaciuto
Vinyl cutter – as is

Computer control
Max. cut: 600x50mm
Thickness: 0,002 mm – 0,030 mm



BIDONE ASPIRALIQUIDI



T

RIELLO GP 405 – year 1997

Generatore d'aria calda pensile a gas – visto e piaciuto
Gas-fired hot air generator - as is

Launch distance : 26m
Helical fan : 1,300 rev./min.
Voltage : 230 V, 50 Hz, 240 W



TR

BOHLE

Compasso per tagliare cerchi e ovali
Compass for cutting circles and ovals – as is



W

TR

DF – year 2003

Granigliatrice – vista e piaciuta
Shotblasting machine – as is

3 Drawers



W

TR

APB IP66

Inverter for modulate the tension



W

TR

PROXXON

Seghetto per blindati – visto e piaciuto
Blindovis cutting saw – as is



W

TR

BOLLA – year 1997

Macchina per tacche – visto e piaciuto
Notches machine – as is



MACCHINE PORTATILI / PORTABLE MACHINES

TR

REGGIATRICE

STRAPPING MACHINE



TR

MAKITA

Seghetto portatile – visto e piaciuto
Portable saw – as is



TR

TESTER FOR INSULATING GLASS

MARTINI EC – 59

Pocketsize
EC/TDS/°C/°F meter

GRACE PHONOSORB DELTA T TEST

PESOLA KIT

Max. 30 gr



CAMION IVECO 75 E 15 EUROCARGO – year 2002

PATENTE C

Km 189000

Lunghezza cassone : 4.50 m

FASSI GRU IDRAULICHE F40A.24

Lunghezza del braccio: 9,15 m

Portata max.: 945 kg

**ALFA ROMEO STELVIO 2.2 Q4 190 CV – year 2020**

Autovettura – vista e piaciuta

Gasolio

Km 52000

**JUNGHEINRICH EFG 320 – year 2005**

Muletto per il trasporto delle cose – visto e piaciuto

Forklift – as is

**MACCHINARI PER LAVORAZIONE DEL FERRO/****IRON PROCESSING MACHINERY****SERRMAC**

Trapano orizzontale – visto e piaciuto
Horizontal drilling machine – as is

For iron



VALEX MG 16 - Year 1989

Trapano a colonna – visto e piaciuto
Column drill - as is

Max hole diameter: 16 mm
Drill vices: 2



TR

DITTA CROTTI E FIGLIO


Bascula pesa ferro – visto e piaciuto
Iron weighing scale – as is



ATLAS COPCO B4-32 + DDH 32- RP

Trapano rotante per forature di grande diametro – visto
e piaciuto
Heavy duty rotary drill for large diameter drilling – as is

DDH 32- RP : 230 v, 50 hz, 110w, 1,6 A
B4-32: 220-230 V, 50-60 HZ, 5,3 A, 1050 W
Diametro: 32 mm



T

BOSCH

Trapano Manuale – visto e piaciuto
Manual Driller - as is

V 220
A 22
W 420
RPM 720/min.



HILTI DCM 1.5

Carotatrice con punta diamantata – vista e piaciuta
Diamond Core Machine Drill – as is



VERDINI Fast S56H

Martello demolitore – visto e piaciuto
Demolition Hammer – as is



MILWAUKEE 18 POWER PLUS

Trapano avvitatore – visto e piaciuto
Drill driver – as is



BELLUCCI

living glass future®